NOTES:

1. SUBSTRATE: Germanium (Ge)

2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO <10 ARCMIN

3. COATING (APPLY ACROSS CLEAR APERTURE) OPTICAL DENSITY = 0.5 @ 2 - 14 µm TRANSMISSION = 31.6 @ 2 - 14 µm

4. FINE GRIND SURFACE

5. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE


- λ

IR Neutral Density Filter

6. ROHS COMPLIANT







| | 51 | 52 | | | | | C ® |
|------------------|---------------------|---------------------|-------------|----|--------|--|------------------|
| SHAPE | PLANO | PLANO | | | | Eamuna Optic | 5 |
| SURFACE FLATNESS | 3 - 5λ | 3 - 5λ | | | TITLE | 0.5 OD, 12.5mm Dia., IR Neutral Density Filter | |
| SURFACE QUALITY | 80-50 | 80-50 | | | | | |
| CLEAR APERTURE | Ø11.25 | Ø11.25 | | I | | | CUEET |
| BEVEL | PROTECTED AS NEEDED | PROTECTED AS NEEDED | ALL DIMS IN | mm | DWG NO | 12004 | SHEET 5 OF 37 |