NOTES:

1. SUBSTRATE:

HOYA GLASS: ND-0.3

PARTS TO THIS DRAWING

2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN <0.02 mm


3. FINE GRIND SURFACE


4. OPTICAL DENSITY: 2.0 ±0.05

5. TRANSMISSION (%): 1 % AVERAGE FROM 400-700nm

6. ROHS COMPLIANT







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

GO ®	Edmund	Optics®
-------------	--------	---------

SHEET

1 OF 1

	\$1	\$2		1		OD 2, 50 x 50mm ABSORPTIVE	ND FILTER
SHAPE	PLANO	PLANO	THIRD ANGLE PROJECTION	\bigcirc	TITLE	OB 2, 30 X 30HHT7 NB3 OKT HVE	ND HEIEK
SURFACE QUALITY	80-50	80-50		ı			
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	48097	SH 1 (

- 50.00±0.20 -

50.00±0.20

