NOTES:

1. SUBSTRATE MATERIAL: N-BK7

2. COATING (APPLY ACROSS CLEAR APERTURE)


S1 & S2: NONE



3. FINE GROUND SURFACE

4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICAIONS APPLY ACROSS CLEAR APERTURE

5. Rohs Compliant



PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	S1	S2					
SHAPE	CONVEX	PLANO	EFL	50		Edmund Ontion	,
RADIUS	25.8	∞	BFL	49.34		Edmund Optics®	
SURFACE QUALITY	60-40	60-40		1		5mm H X 10mm L X 50mm FL UNCOATED,	
CLEAR APERTURE	9.00 X 4.00	9.00 X 4.00	THIRD ANGLE PROJECTION		TITLE	CYLINDER LENS	
COATING APERTURE	9.00 X 4.00	9.00 X 4.00		 			
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	43859 SHEE 1 OF	