
NOTES:

1. SUBSTRATE:

HOYA GLASS: ND-13

2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN < 0.02mm


PARTS TO THIS DRAWING







4. COATING SPECIFICATION: S1 & S2:R(AVG) ≤0.4% @ 425 - 675nm

- 5. OPTICAL DENSITY: 0.9 +/-0.1 @400-700nm
- 6. TRANSMISSION (%): 12.5% AVERAGE FROM 400-700nm
- 7. ROHS COMPLIANT







NEUTRAL DENSITY FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	Edmund	Optics®
--	--------	---------

	S1	S2		TITLE	0.9 OD, 50mm DIA., VIS 0° COATED, ABSORPTIVE ND FILTER		
SHAPE	PLANO	PLANO	THIRD ANGLE PROJECTION				
SURFACE QUALITY	80-50	80-50		1		, , , , , , , , , , , , , , , , , , , ,	CHEET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	13120	SHEET 1 OF 1